



# WINTER WARMUP 2026

## INSIDE...

- Drill Sets
- Broach Sets
- Countersinks
- Pipe Taps
- Turning & Milling Inserts
- End Mills
- Tapping Machines
- Cutting Fluid
- Gauges
- Hardness Tester
- Electronic Calipers
- Live Centers
- Lathe Chucks
- Vises

## Carbide Burrs

Various Shapes & Sizes



**20% OFF**  
Starting at... **\$3.54**

SEE MORE **HERTEL** Production Grade Tooling | [www.kar.ca](http://www.kar.ca)

## Deburring Sets

Golden Flex  
TiN Coated Multi-Purpose Blades



| SET CONTENTS   |   |
|--|---|
| <b>GOLDEN FLEX SET B</b><br>Standard Deburring                                     | <b>GOLDEN FLEX SET E</b><br>Heavy Duty Deburring                                    |
| Aluminum handle (1)<br>B holder (1)  | Aluminum handle (1)<br>E holder (1)   |
| 5 pairs of B blades:<br>B10P (2), B11P (2),<br>B12P (2), B20P (2),<br>and B30P (2) | 5 pairs of E blades:<br>E100P (2), E110P (2),<br>E111P (2), E200P (2),<br>E300P (2) |

**SHAVIV**  
EXCLUSIVELY AVAILABLE  
AT **KAR** IN CANADA



Code 551002

**56.99**



Code 551003

**62.99**

YOUR AUTHORIZED KAR DISTRIBUTOR:

# TECHNICUT

INDUSTRIAL SUPPLY INC.

201-9466 189 St. Surrey  
604-888-4052  
[sales@technicut.ca](mailto:sales@technicut.ca)



# WINTER WARMUP 2026

## Gold-P Drill Set

HSS | TiN Coated

- 1/16" x 1/2" by 64ths | 29 pieces
- 135° split point
- Straight shank
- Right hand spiral wide flutes
- Supplied in indexed metal case

Code 883345

**169.99**



## Bright Drill Set

HSS | Uncoated

- 1/16" x 1/2" by 64ths | 29 pieces
- 118° standard point
- Straight shank
- Jobber length
- Supplied in indexed plastic case

Code 79888350

**139.99**



SEE MORE  
**HERTEL**  
Production  
Grade Tooling

[www.kar.ca](http://www.kar.ca)



## Broach Sets

Standard & Heavy Duty

- All Minute Man® Broach Sets are supplied in storage boxes, and come complete with precision broaches, slotted bushings, and necessary shims
- Collared bushings are recommended and are supplied unless plain bushings are specified on your order

*TiN coated sets available on request*




| Set Description   | Code   | Price          |
|---|--------|----------------|
| <b>No. 00 PRECISION SET:</b> The most common keyway combinations for small keyways and bores. 3 broaches and 5 bushings = 15 keyway combinations (Collared bushings only)   | 605500 | <b>738.50</b>  |
| <b>No. 10 STANDARD SET:</b> Our best selling broach set. 4 broaches and 9 bushings = 18 keyway combinations (Collared bushings only)  | 605501 | <b>1289.24</b> |
| <b>No. 10A STANDARD SET:</b> Same as No. 10 Set, but for sixteenth-sized bores. 4 broaches and 9 bushings = 18 keyway combinations (Collared bushings only)   | 605502 | <b>1289.24</b> |
| <b>No. 10-10A COMBINATION SET:</b> Combines 10 and 10A sets features all bore sizes in 1/16 inch increments for keyways 1/8 to 3/8 inches. 4 broaches and 18 bushings = 36 keyway combinations (Collared bushings only)   | 605503 | <b>1655.49</b> |
| <b>No. 20 COMBINATION SET:</b> Same as No. 10-10A combination set plus a 5/16" keyway for 11 extra combinations. 5 broaches and 18 bushings = 47 keyway combinations (Collared bushings only)   | 605504 | <b>1907.90</b> |
| <b>No. 40A SET:</b> The most common keyway combinations for medium sized keyways and bores. 4 broaches and 8 bushings = 32 keyway combinations (Plain bushings only)  | 605505 | <b>2415.72</b> |
| <b>No. 40 SET:</b> Same as No. 40A, but for sixteenth sized bores. 4 broaches and 8 bushings = 32 keyway combinations (Plain bushings only)   | 605506 | <b>2415.72</b> |
| <b>No. 40-1/2A HEAVY DUTY SET:</b> The most common keyway combinations for large keyways and bores. 2 broaches and 6 bushings = 12 keyway combinations (Plain bushings only)  | 605507 | <b>2489.64</b> |
| <b>No. 40-1/2 HEAVY DUTY SET:</b> Same as No. 40-1/2A but for sixteenth sized bores. 2 broaches and 6 bushings = 12 keyway combinations (Plain bushings only)   | 605508 | <b>2489.64</b> |
| <b>No. 50 HEAVY DUTY SET:</b> Includes the most common keyway combinations for medium and large keyways. 3 broaches and 17 bushings = 29 keyway combinations (Plain bushings only)  | 605509 | <b>4637.44</b> |
| <b>No. 60 METRIC SET:</b> The most common metric keyway combination for small keyways and bores. 2 broaches and 3 bushings = 6 keyway combinations (Collared bushings only)   | 605510 | <b>591.00</b>  |
| <b>No. 70 METRIC SET:</b> Our most popular metric broach set. 4 broaches and 13 bushings = 26 keyway combinations (Collared bushings only)  | 605511 | <b>1517.21</b> |
| <b>No. 80 METRIC SET:</b> The most common metric keyway combination for medium-sized keyways and bores. 3 broaches and 12 bushings = 36 keyway combinations (Plain bushings only)   | 605512 | <b>2375.62</b> |
| <b>No. 90 METRIC SET:</b> The most common metric keyway combination for large keyways and bores. 2 broaches and 8 bushings = 16 keyway combinations (Plain bushings only)   | 605513 | <b>3197.32</b> |
| <b>No. 100 HEAVY DUTY COMBINATION SET:</b> The most complete set available including all popular combinations without duplication. Supplied in three wood boxes for convenient handling and storage, and comes with broaches, slotted bushings, and necessary shims. 9 broaches and 44 bushings = 102 keyway combinations (Collared bushings B & C; Plain bushings D & E) | 605514 | <b>8345.57</b> |

# SAVE at KAR with the WINTER WARMUP

## Countersinks

3 Flute | Metric | Cobalt M35 & Carbide | 90° Angle



### Carbide

| D<br>Overall<br>Diameter<br>(mm) | d<br>Shank<br>Diameter<br>(mm) | Chamfer<br>Range<br>Min/Max<br>(mm) | L<br>Overall<br>Length<br>(mm) | SERIES 8431 |        |
|----------------------------------|--------------------------------|-------------------------------------|--------------------------------|-------------|--------|
|                                  |                                |                                     |                                | Code        | Price  |
| 4.3                              | 4                              | 1.3-4.3                             | 40                             | 314357      | 82.04  |
| 5.3                              | 4                              | 1.3-5.3                             | 40                             | 314360      | 88.49  |
| 6.3                              | 5                              | 1.3-6.3                             | 45                             | 314363      | 95.30  |
| 8.3                              | 6                              | 1.8-8.3                             | 50                             | 314366      | 111.07 |
| 10.4                             | 6                              | 2.2-10.4                            | 50                             | 314369      | 122.65 |
| 12.4                             | 8                              | 2.5-12.4                            | 56                             | 314372      | 132.60 |
| 16.5                             | 10                             | 2.8-16.5                            | 60                             | 314375      | 149.17 |
| 20.5                             | 10                             | 3-20.5                              | 63                             | 314378      | 217.15 |
| 25                               | 10                             | 3.2-25                              | 67                             | 314381      | 285.12 |
| 31                               | 12                             | 3.5-31                              | 71                             | 314384      | 382.91 |


### Cobalt & Carbide | Extra-Long

| D<br>Overall<br>Diameter<br>(mm) | d<br>Shank<br>Diameter<br>(mm) | Chamfer<br>Range<br>Min/Max<br>(mm) | L<br>Overall<br>Length<br>(mm) | COBALT<br>SERIES 4303 |        | CARBIDE<br>SERIES 8431-L |        |
|----------------------------------|--------------------------------|-------------------------------------|--------------------------------|-----------------------|--------|--------------------------|--------|
|                                  |                                |                                     |                                | Code                  | Price  | Code                     | Price  |
| 6.3                              | 6                              | 1.3-6.3                             | 84                             | 540500                | 43.70  | 314417                   | 164.17 |
| 8.3                              | 8                              | 1.8-8.3                             | 85                             | 540501                | 47.28  | 314420                   | 185.66 |
| 10.4                             | 10                             | 2.2-10.4                            | 87                             | 540502                | 50.79  | 314423                   | 240.41 |
| 12.4                             | 10                             | 2.5-12.4                            | 108                            | 540503                | 55.93  | 314426                   | 247.05 |
| 16.5                             | 16                             | 2.8-16.5                            | 112                            | 540504                | 66.51  | 314429                   | 291.74 |
| 20.5                             | 16                             | 3-20.5                              | 115                            | 540505                | 89.27  | 314432                   | 377.97 |
| 25                               | 20                             | 3.2-25                              | 118                            | 540506                | 120.74 | -                        | -      |

## Pipe Taps



High Speed Steel | Straight Flute, Spiral Flute & Interrupted Thread



### HSS – Straight Flute



- For cast iron and steel applications
- NPT and NPTF standards

### HSSE-V3 – Spiral Flute



- For cast iron, steel and stainless steel applications
- NPT and NPTF standards
- High speed steel substrate with cobalt and 3% vanadium content for cutting stainless steels up to 29 HRC and tool steels up to 35 HRC

### HSS – Interrupted Thread



- For cast iron and steel applications
- Reduces cutting pressure
- NPTF standards

| Size<br>(Inch) | Threads<br>per Inch | No. of<br>Flutes | Overall<br>Length<br>(Inch) | Thread<br>Length<br>(Inch) | STRAIGHT FLUTE |        | SPIRAL FLUTE |        | INTERRUPTED THREAD |        |
|----------------|---------------------|------------------|-----------------------------|----------------------------|----------------|--------|--------------|--------|--------------------|--------|
|                |                     |                  |                             |                            | Code           | Price  | Code         | Price  | Code               | Price  |
| 1/16           | 27                  | 4                | 2-1/8                       | 0.688                      | 915700         | 25.64  | 915716       | 31.37  | -                  | -      |
| 1/8            | 27                  | 4                | 2-1/8                       | 0.750                      | 915701         | 28.04  | 915717       | 34.66  | 915710             | 35.97  |
| 1/4            | 18                  | 4                | 2-7/16                      | 1.063                      | 915702         | 30.56  | 915718       | 38.66  | 915711             | 39.31  |
| 3/8            | 18                  | 4                | 2-9/16                      | 1.063                      | 915703         | 38.74  | 915719       | 49.73  | 915712             | 49.92  |
| 1/2            | 14                  | 4                | 3-1/8                       | 1.375                      | 915704         | 43.43  | 915720       | 57.96  | 915713             | 55.67  |
| 3/4            | 14                  | 5                | 3-1/4                       | 1.375                      | 915705         | 68.15  | 915721       | 90.11  | 915714             | 87.42  |
| 1              | 11-1/2              | 5                | 3-3/4                       | 1.750                      | 915706         | 106.75 | 915722       | 142.93 | 915715             | 136.93 |
| 1-1/4          | 11-1/2              | 5                | 4                           | 1.750                      | 915707         | 167.65 | 915723       | 227.21 | -                  | -      |
| 1-1/2          | 11-1/2              | 7                | 4-1/4                       | 1.750                      | 915708         | 255.38 | 915724       | 341.78 | -                  | -      |
| 2              | 11-1/2              | 7                | 4-1/2                       | 1.750                      | 915709         | 418.37 | 915725       | 553.14 | -                  | -      |

FOR MORE FROM YG-1 | [WWW.KAR.CA](http://WWW.KAR.CA)

# WINTER WARMUP 2026

## End Mills

2 & 4 Flute | Carbide  
Center Cutting | Uncoated,  
TiN & TiAlN Coated



|         | Cutting Diameter (Inch) | Shank Diameter (Inch) | Length of Cut (Inch) | Overall Length (Inch) | UNCOATED |          | TiN      |          | TiAlN    |        |
|---------|-------------------------|-----------------------|----------------------|-----------------------|----------|----------|----------|----------|----------|--------|
|         |                         |                       |                      |                       | Code     | Price    | Code     | Price    | Code     | Price  |
| 2 FLUTE | 1/8                     | 1/8                   | 1/2                  | 1-1/2                 | 88247713 | 9.86     | 74611328 | 11.76    | 59928705 | 12.66  |
|         | 3/16                    | 3/16                  | 5/8                  | 2                     | 88247754 | 13.90    | 74611369 | 16.46    | 59928713 | 17.84  |
|         | 1/4                     | 1/4                   | 3/4                  | 2-1/2                 | 88247788 | 17.78    | 74611393 | 19.18    | -        | -      |
|         | 5/16                    | 5/16                  | 13/16                | 2-1/2                 | -        | -        | 74611112 | 33.54    | 59928762 | 35.16  |
|         | 3/8                     | 3/8                   | 1                    | 2-1/2                 | 88247838 | 28.02    | 74611443 | 36.96    | 59928796 | 38.48  |
|         | 1/2                     | 1/2                   | 1                    | 3                     | 88247887 | 58.64    | 74611492 | 68.14    | 59928663 | 69.32  |
| 4 FLUTE | 3/4                     | 3/4                   | 1-1/2                | 4                     | -        | -        | -        | -        | 59928473 | 209.42 |
|         | 1/8                     | 1/8                   | 1/2                  | 1-1/2                 | 88245980 | 10.20    | 88250113 | 13.44    | -        | -      |
|         | 3/16                    | 3/16                  | 5/8                  | 2                     | 88246020 | 13.34    | 88250154 | 18.04    | -        | -      |
|         | 1/4                     | 1/4                   | 3/4                  | 2-1/2                 | -        | -        | 88250188 | 22.22    | 74452970 | 21.56  |
|         | 5/16                    | 5/16                  | 3/4                  | 2-1/2                 | 88246087 | 29.26    | -        | -        | -        | -      |
|         | 3/8                     | 3/8                   | 1                    | 2-1/2                 | 88246103 | 29.42    | 88250238 | 35.78    | -        | -      |
|         | 1/2                     | 1/2                   | 1                    | 3                     | 88246152 | 57.72    | 88250287 | 68.90    | -        | -      |
|         | 5/8                     | 5/8                   | 1-1/4                | 3-1/2                 | 88246202 | 110.38   | -        | -        | -        | -      |
| 3/4     | 3/4                     | 1-1/2                 | 4                    | 88246236              | 172.02   | 88250360 | 196.32   | 74452988 | 204.22   |        |



HERTEL Production Grade Tooling **NEW at KAR** [www.kar.ca](http://www.kar.ca)

## Turning & Milling Inserts **BLOWOUT | SAVE up to 50%**


Carbide | Turning Grade YG801 | Milling Grade YG602

**ONLY WHILE QUANTITIES LAST**



Milling Inserts | Carbide | Grade YG602

| Type           | Ø.I.C. (Inch) | Width (Inch) | Thickness (Inch) | Radius (Inch) | Code   | Price |
|----------------|---------------|--------------|------------------|---------------|--------|-------|
| APKT160412PDTR | 0.672         | 0.370        | 0.207            | 0.472         | 577574 | 7.31  |
| APKT160416PDTR | 0.672         | 0.370        | 0.207            | 0.063         | 577575 | 7.31  |
| APMT113504PDTR | 0.440         | 0.244        | 0.138            | 0.157         | 577576 | 6.84  |
| APMT113508PDTR | 0.440         | 0.244        | 0.138            | 0.031         | 577577 | 6.84  |
| ODMT060508     | -             | 0.626        | 0.217            | -             | 577579 | 9.12  |
| OFMT05T305TN   | -             | 0.500        | 0.157            | -             | 577581 | 9.16  |
| RDKW10T3M0     | -             | 0.394        | 0.156            | -             | 577586 | 5.87  |
| RPMT10T3M0     | -             | 0.394        | 0.156            | -             | 577589 | 5.87  |
| RPMT1204M0     | -             | 0.472        | 0.187            | -             | 577590 | 6.58  |
| RPMW1204M0     | -             | 0.472        | 0.187            | -             | 577591 | 6.58  |
| SEKR42AFTN     | -             | 0.500        | 0.125            | -             | 577595 | 7.57  |
| SEKT1204AFTN   | -             | 0.509        | 0.199            | -             | 577596 | 7.57  |
| SEKT12T3AGTN   | -             | 0.528        | 0.157            | -             | 577597 | 9.08  |
| SPKN42EDTR     | -             | 0.500        | 0.125            | -             | 577598 | 7.57  |
| SPKN53EDTR     | -             | 0.625        | 0.187            | -             | 577599 | 8.79  |
| SPKR42EDTR     | -             | 0.500        | 0.125            | -             | 577600 | 7.59  |
| TPKR32PDTR     | 0.569         | 0.375        | 0.125            | -             | 577603 | 6.58  |



Turning Inserts | Carbide | Grade YG801

| ANSI          | Chipbreaker | Ø.I.C. (Inch) | Thickness (Inch) | Radius (Inch) | Code   | Price |
|---------------|-------------|---------------|------------------|---------------|--------|-------|
| CCMT3(2.5)IUR | UR          | 0.381         | 0.156            | 0.016         | 577512 | 5.64  |
| CCMT3(2.5)2UG | UG          | 0.381         | 0.156            | 0.031         | 577513 | 5.64  |
| RCMT0602M0    | -           | -             | 0.094            | -             | 577518 | 4.70  |
| RCMT10T3M0    | -           | -             | 0.156            | -             | 577520 | 5.64  |
| RCMT1204M0    | -           | -             | 0.187            | -             | 577521 | 6.31  |
| SCMT3(2.5)IUF | UF          | 0.375         | 0.156            | 0.016         | 577522 | 6.09  |
| SCMT3(2.5)2UG | UG          | 0.375         | 0.156            | 0.031         | 577523 | 6.09  |
| TCMT2(1.5)IUF | UF          | 0.433         | 0.094            | 0.016         | 577524 | 5.16  |
| VBMT332UG     | UG          | 0.654         | 0.187            | 0.031         | 577528 | 8.45  |
| CNMG43IUF     | UF          | 0.508         | 0.187            | 0.016         | 577532 | 6.54  |
| CNMG433UR     | UR          | 0.508         | 0.187            | 0.047         | 577534 | 6.55  |
| DNMG432UG     | UG          | 0.610         | 0.187            | 0.031         | 577536 | 7.98  |
| DNMG44IUF     | UF          | 0.610         | 0.250            | 0.016         | 577537 | 8.67  |
| SNMG43IUF     | UF          | 0.500         | 0.187            | 0.016         | 577542 | 6.55  |
| SNMG433UR     | UR          | 0.500         | 0.187            | 0.047         | 577544 | 6.55  |
| TNMG33IUF     | UF          | 0.650         | 0.187            | 0.016         | 577547 | 6.09  |
| TNMG332UG     | UG          | 0.650         | 0.187            | 0.031         | 577548 | 6.09  |
| TNMG333UR     | UR          | 0.650         | 0.187            | 0.047         | 577549 | 6.09  |
| TNUX332L      | -           | 0.650         | 0.187            | 0.031         | 577554 | 6.09  |
| TNUX332R      | -           | 0.650         | 0.187            | 0.031         | 577556 | 6.09  |
| VNMG33IUF     | UF          | 0.650         | 0.375            | 0.016         | 577557 | 8.45  |
| VNMG332UG     | UG          | 0.654         | 0.375            | 0.031         | 577558 | 8.45  |

# SAVE at KAR with the WINTER WARMUP

## NEW TAP MAGIC

## TAP MAGIC Cutting Fluids 16 oz. Bottles

### Solid Lubricant

13 oz. Solid Wax Stick



Professional grade cutting fluid in a solid wax stick is ideal for vertical saws, grinders or polishing operations by significantly improving surface finish and prolonging tool life.

- Improves finish
- Decreases working temperature
- Protects tooling
- Cleans up easily

Waxx Stick  
13 oz. | Code 219251

**26.99**

| XTRA-THICK  | PROTAP  | AQUEOUS   | ECO-OIL   |
|---|---|---|---|
|              |            |          |                            |
| Code 219238<br><b>20.81</b>   | Code 219218<br><b>17.35</b>   | Code 219225<br><b>17.30</b>   | Code 219232<br><b>17.10</b>   |
| Heavyweight champion for hard metals – inconel, titanium, stainless... any metal up to 45 HRC | Eco-friendly, biodegradable and can be applied to any and all cutting operations and metals | Eco-friendly, non-corrosive, water-based formula that is easy to clean up and biodegradable | Meets requirements of NSF's H1 Food Grade certification. Biodegradable with natural oil base - low odor/smoke |

## Pneumatic Tapping Machines

### Universal Tapping Attachments



Code 302803  
**744.41**



Code 302804  
**825.04**

|                       | 302803           | 302804 |
|-----------------------|------------------|--------|
| Range:                | 90°              | 90°    |
| Fits Tapping Machine: | 302799<br>302800 | 302801 |
| Approx. Weight (lbs): | 4.41             | 4.41   |

AS-12/II | Code 302799

**4303.72**



AT-12/I | Code 302800

**4174.97**



#### TAPPING MACHINES INCLUDE

- Pneumatic tapping spindle
- Stretch arm
- Slanted arm (302799 & 302801 only)
- Table mounting column
- Air unit
- 6 safety clutch tapping adapters

REPLACEMENT PARTS AVAILABLE

|                                | AS-12/II   | AT-12/I     | AT-20/II  |
|--------------------------------|------------|-------------|-----------|
| Tap Capacity (Inch):           | 0-1/2      | 0-1/2       | 0-3/4     |
| Speed (RPM):                   | 400        | 400         | 150/400   |
| Work Range Rmax./Rmin. (Inch): | 55.12/7.87 | 62.99/19.69 | 74.8/7.87 |
| Approx. Weight (lbs):          | 46.30      | 44.09       | 83.78     |

AT-20/II | Code 302801

**10299.45**



## Feeler Gauge Sets



20-Pieces | 1/2" Wide x 6" Long | 0.001-0.025" Thick  
Steel | Parallel



Code 85668895

**63.97**

**Thicknesses Included (Decimal Inch):** 0.0015; 0.0200; 0.0070; 0.0180; 0.0080; 0.0090; 0.0100; 0.0220; 0.0010; 0.0120; 0.0020; 0.0240; 0.0030; 0.0140; 0.0250; 0.0040; 0.0150; 0.0050; 0.0160; 0.0060

Metric | 20-Pieces | 12.70mm Wide x 152.40mm Long  
0.05-1mm Thick | Steel | Parallel

Code 85668903

**109.32**



**Thicknesses Included (mm):** 0.80; 0.70; 0.90; 0.55; 0.45; 0.20; 0.75; 0.10; 0.65; 1.00; 0.40; 0.95; 0.30; 0.85; 0.60; 0.50; 0.15; 0.05; 0.35; 0.25

Feeler Stock | Metric | 14-Pieces | 12.7mm Wide x 300mm  
Long | 0.03-0.05mm Thick | Tempered Steel | Parallel



**Thicknesses Included (mm):** 0.45; 0.20; 0.10; 0.40; 0.30; 0.50; 0.08; 0.06; 0.04; 0.15; 0.05; 0.35; 0.03; 0.25

Code 85668507

**71.08**

Feeler Stock | 32-Pieces | 1/2" Wide x 12" Long | 0.001-0.03"  
Thick | High Carbon Steel | Parallel



**Thicknesses Included (Decimal Inch):** 0.0010 to 0.0300

Code 85668499

**111.85**

Feeler Stock | 108-Pieces | 1/2" Wide x 12" Long  
0.0015-0.015" Thick | Tempered Steel | Parallel



**Thicknesses Included (Decimal Inch):** (12)0.0080; (12)0.0015; (12)0.0020; (12)0.0120; (12)0.0100; (12)0.0060; (12)0.0040; (12)0.0150; (12)0.0030

Code 85669836

**134.26**

## Radius Gauges



Radius & Fillet Gauge | Inch & Metric

Useful for tool and die makers, machinists, screw machine operators, patternmakers, layout and other mechanics to lay out and check radii of tools, dies, patterns, etc.

- Locking devices
- Leaves specially shaped to measure fillets and radii in corners or against shoulders
- Each leaf is marked
- Style A: Convex and concave radii on each leaf
- Style B: Convex and concave radii on separate leaves - convex on one end and concave on opposite end



78984077

| Measuring Range | Graduation | No. of Leaves | Style | Code     | Price        |
|-----------------|------------|---------------|-------|----------|--------------|
| 1/32" - 17/64"  | 1/64"      | 16            | A     | 78984069 | <b>49.28</b> |
| 1/32" - 1/4"    | 1/64"      | 30            | B     | 78984085 | <b>48.22</b> |
| 17/64" - 1/2"   | 1/64"      | 32            | B     | 78984077 | <b>53.47</b> |
| 1 - 7mm         | 0.25mm     | 34            | B     | 85720696 | <b>25.92</b> |
| 7.5 - 15mm      | 0.5mm      | 32            | B     | 85720712 | <b>28.13</b> |

## Radius Gauge Sets



Inch & Metric

Radius Gauge in holder provides fast checking of radii. Five different gauging surfaces ideal for checking convex and concave radii.

- 4" holder with adjustable nut
- Each gauge marked with radius
- May be used individually for greatest accuracy and convenience
- Hardened steel and satin chrome finish
- Supplied in plastic case



01718790

1/64" - 1/2"  
Code 01718790

**283.62**

0.01 - 0.5mm  
Code 01718766

**244.38**

| Measuring Range | No. of Pieces | Increments   | Code     |
|-----------------|---------------|--|----------|
| 1/64" - 1/2"    | 25            | 1/64; 1/32; 3/64; 1/16; 5/64; 3/32; 7/64; 1/8; 9/64; 5/32; 11/64; 3/16; 13/64; 7/32; 15/64; 1/4; 17/64; 9/32; 5/16; 11/32; 3/8; 13/32; 7/17; 15/32; 1/2 Inch | 01718790 |
| 0.01 - 0.5mm    | 26            | 0.01; 0.015; 0.02; 0.025; 0.03; 0.04; 0.05; 0.06; 0.07; 0.08; 0.09; 0.1; 0.12; 0.14; 0.16; 0.18; 0.2; 0.22; 0.24; 0.26; 0.28; 0.3; 0.35; 0.4; 0.45; 0.5mm    | 01718766 |

# SAVE at KAR with the WINTER WARMUP

## Electronic LEEB Hardness Tester



Large Screen (5 inches)



Printer included



170-960HLD  
Accuracy:  $\pm 5$ HLD  
Code 910074

1370.<sup>71</sup>

- Impact Device D
- Large screen (5 inches), showing all functions and parameters with background light
- Hardness test can be taken at any angle including inverted
- A wide measuring range supports the hardness of all metallic materials. Hardness results are directly displayed in HRB, HRC, HV, HB, HSD, HL, Mpa hardness scales
- Supports a variety of Richter sensors (DC, DL, C, D+15, G)
- Memory stores 500 records
- Tolerance alarm function
- Wireless printing capability
- Automatic power off after five minutes
- Battery: Lithium-ion, rechargeable
- Printer included
- Short form calibration certificate included

## Electronic Calipers



Fractional | Absolute (ABS) | Four Buttons

Absolute (ABS) | SPC



910090



- Resolution 0.0005"/1/128"/0.01mm
- Zinc alloy housing for digital unit
- Buttons: zero, on/off, inch/mm, ABS
- Automatic power off
- Battery: CR2032
- Short form calibration certificate included



910080



- Resolution: 0.0005"/0.01mm
- Ready for measurements as soon as it is switched on with the LCD screen displaying the actual slider position. No need to set the zero position each time as the origin setting is retained even when caliper is switched off
- Absolute system delivers reliable measurement
- Inch/metric conversion
- Buttons: zero/origin, on/off, ABS, inch/mm
- Battery: CR2032
- Short form calibration certificate included
- SPC cable data output: 910202
- Wireless data output: Transmitting device: 910203, 910204; Receiver device: 910205
- Bluetooth data output: 910206, 910207

0-6"/0-150mm  
Accuracy:  $\pm 0.001/\pm 0.02$   
Code 910080

74.<sup>47</sup>

0-8"/0-200mm  
Accuracy:  $\pm 0.0015/\pm 0.03$   
Code 910081

104.<sup>63</sup>

0-12"/0-300mm  
Accuracy:  $\pm 0.0015/\pm 0.03$   
Code 910082

187.<sup>30</sup>

0-6"/0-150mm  
Accuracy:  $\pm 0.001/\pm 0.02$   
Code 910090

95.<sup>47</sup>

0-8"/0-200mm  
Accuracy:  $\pm 0.0015/\pm 0.03$   
Code 910091

142.<sup>46</sup>

0-12"/0-300mm  
Accuracy:  $\pm 0.0015/\pm 0.03$   
Code 910092

206.<sup>89</sup>

## Live Centers



Heavy Duty Spindle Type

- An excellent heavy-duty live center designed to handle most turning applications
- $\pm 0.00005$ " total indicator runout guaranteed
- Heavy-duty precision bearings provide exceptional thrust and radial load capacities
- The substantial point extends into the shank where it is supported by a large needle bearing for increased strength and rigidity
- Body and point are hardened for strength and durability



Exclusive ROYAL Roto-Shield™ Technology

| Morse Taper | B (Inch) | E (Inch) | F (Inch) | G (Inch) | Max RPM | Max. Weight (lbs) | Thrust Load (lbs) | Code   |
|-------------|----------|----------|----------|----------|---------|-------------------|-------------------|--------|
| 2           | 1-3/4    | 1-7/16   | 1-1/32   | 7/8      | 6000    | 725               | 2360              | 826270 |
| 3           | 2-3/8    | 1-3/4    | 1-1/4    | 1        | 5000    | 970               | 3900              | 826271 |
| 4           | 2-11/16  | 1-31/32  | 1-1/2    | 1-1/4    | 4500    | 1720              | 4050              | 826272 |
| 5           | 3-1/2    | 2-13/16  | 1-7/8    | 1-1/2    | 3500    | 3260              | 5700              | 826273 |
| 6           | 4        | 3-5/32   | 2-5/16   | 2        | 3500    | 4080              | 6000              | 826274 |

MT2 HD  
Code 826270

1128.<sup>94</sup>

MT5 HD  
Code 826273

2021.<sup>01</sup>

MT3 HD  
Code 826271

1128.<sup>94</sup>

MT6 HD  
Code 826274

3797.<sup>40</sup>

MT4 HD  
Code 826272

1473.<sup>94</sup>

# WINTER WARMUP 2026

## Universal Lathe Chucks


Cast Iron | 2-Piece Jaws | 3-Jaw Self-Centering | Camlock Type D Series 3245



- Cast iron
- Direct mount
- Ground working surfaces

**Standard Accessories:**

- 1 set of hard top jaws
- 1 set of hard master jaws
- 1 wrench



**SIZES 20-25"  
ALSO AVAILABLE**

| A (Inch) | Taper Size | B (Inch) | B1 (Inch) | E (Inch) | F (Inch) | No. of Stud Bolts | J (Inch) | L (Inch) | Weight (lbs) | Code   | Price   |
|----------|------------|----------|-----------|----------|----------|-------------------|----------|----------|--------------|--------|---------|
| 4.92     | 4          | 2.76     | 2.94      | 1.26     | 3.25     | 3                 | 0.79     | 1.57     | 11.02        | 355023 | 2478.23 |
| 6.30     | 3          | 3.21     | 3.40      | 1.65     | 2.78     | 3                 | 1.26     | 1.69     | 19.84        | 355024 | 1544.98 |
| 6.30     | 4          | 3.21     | 3.40      | 1.65     | 3.25     | 3                 | 1.26     | 1.69     | 19.84        | 355025 | 1544.98 |
| 6.30     | 3          | 3.21     | 3.40      | 1.65     | 2.78     | 3                 | 1.26     | 1.69     | 19.84        | 355026 | 1973.24 |
| 7.87     | 4          | 3.58     | 3.77      | 2.03     | 3.25     | 3                 | 1.14     | 1.77     | 41.89        | 355027 | 1973.24 |
| 7.87     | 5          | 3.58     | 3.77      | 2.17     | 4.13     | 6                 | 1.14     | 1.77     | 41.89        | 355028 | 1973.24 |
| 7.87     | 6          | 3.58     | 3.77      | 2.17     | 5.25     | 6                 | 1.14     | 1.77     | 41.89        | 355029 | 1973.24 |
| 7.87     | 5          | 3.58     | 3.77      | 2.17     | 4.13     | 6                 | 1.14     | 1.77     | 41.89        | 355030 | 2673.95 |
| 9.84     | 6          | 4.07     | 4.22      | 2.99     | 5.25     | 6                 | 1.34     | 2.09     | 70.55        | 355031 | 2673.95 |
| 9.84     | 8          | 4.07     | 4.22      | 2.99     | 6.75     | 6                 | 1.34     | 2.09     | 70.55        | 355032 | 2673.95 |
| 12.40    | 6          | 4.63     | 4.83      | 4.06     | 5.25     | 6                 | 1.69     | 2.24     | 112.44       | 355033 | 3818.76 |
| 12.40    | 8          | 4.63     | 4.83      | 4.06     | 6.75     | 6                 | 1.69     | 2.24     | 112.44       | 355034 | 3818.76 |
| 12.40    | 11         | 4.92     | 5.12      | 4.06     | 9.25     | 6                 | 1.69     | 2.24     | 112.44       | 355035 | 3818.76 |
| 15.75    | 6          | 5.06     | 5.41      | 4.06     | 5.25     | 6                 | 2.17     | 2.64     | 222.67       | 355036 | 7436.77 |
| 15.75    | 8          | 5.06     | 5.41      | 5.35     | 6.75     | 6                 | 2.17     | 2.64     | 222.67       | 355037 | 6858.94 |
| 15.75    | 11         | 5.06     | 5.41      | 5.35     | 9.25     | 6                 | 2.17     | 2.64     | 222.67       | 355038 | 6858.94 |



**HERTEL Lathe Chucks NEW at KAR**

[https://kar.ca/pdf/promotions/KAR\\_8pg\\_HERTEL\\_LatheChucks\\_10242025.pdf](https://kar.ca/pdf/promotions/KAR_8pg_HERTEL_LatheChucks_10242025.pdf)



## Anglock® Vise

6 x 9 | 80,000 psi Ductile Iron Body



AngLock® design secures the movable jaw, preventing it from lifting. Vises come with hardened vise-bed and jaw plates, and a semi-hard steel screw.

**DX6**

- Combines all the great features of Kurt's D688 and 3600V vises
- Larger 9.0" jaw opening
- Larger, stronger, and more durable bearing pack lasts longer



| Size (Inch) | Overall Length (Inch) | Overall Height (Inch) | Maximum Jaw Opening (Inch) | Maximum Clamping Force (lbs) | Weight (lbs) | Code     | Price   |
|-------------|-----------------------|-----------------------|----------------------------|------------------------------|--------------|----------|---------|
| 6           | 18.258                | 4.610                 | 9                          | 7,342                        | 65           | 37609880 | 1399.99 |

Ask about more KURT WORKHOLDING options from KAR



## Precision Milling Machine Vise

FCD-60 Ductile Iron



6 x 8.9 Inch | Code 277065

699.99



**KAR Industrial Inc.**  
[www.kar.ca](http://www.kar.ca)

Toronto.....1-800-387-3127  
Montréal.....1-800-363-7862  
Edmonton.....1-866-440-4326

Offer valid until March 31, 2026

\*Products shown may not be exactly as illustrated Code 000348

MAKING IT EASY TO DO BUSINESS WITH SINCE 1954... CONTACT YOUR LOCAL KAR DISTRIBUTOR TODAY!